

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	0	ibm.as. and proxy with database with invok\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 14:24
L23	0	("IBM" "IBM BUSINESS MACHINES CORPORATION" "IBM CORPORATION-INTERNATIONAL BUSINESS MACHINES CORPORATION" "IBM CORP. -INTERNATIONAL BUSINESS MACHINES CORP." "IBM INTERNATIONAL BUSINESS MACHINES CORPORATION" "IBM PATENT OPERATIONS").as. and proxy with database with invok\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 14:26
L24	1	("IBM" "IBM BUSINESS MACHINES CORPORATION" "IBM CORPORATION-INTERNATIONAL BUSINESS MACHINES CORPORATION" "IBM CORP. -INTERNATIONAL BUSINESS MACHINES CORP." "IBM INTERNATIONAL BUSINESS MACHINES CORPORATION" "IBM PATENT OPERATIONS").as. and edge with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 14:27
L25	6	("IBM" "IBM BUSINESS MACHINES CORPORATION" "IBM CORPORATION-INTERNATIONAL BUSINESS MACHINES CORPORATION" "IBM CORP. -INTERNATIONAL BUSINESS MACHINES CORP." "IBM INTERNATIONAL BUSINESS MACHINES CORPORATION" "IBM PATENT OPERATIONS").as. and edge with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 14:29
L26	202	edge with (server or database) with proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 14:29

EAST Search History

L27	9	edge with (server or database) with proxy with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 14:31
L28	1	edge with (server or database) with proxy with interface and load\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 14:33
L29	0	edge with (server or database) with proxy with interface and load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 15:25
L30	0	edge with (server or database) with proxy with interface and load-balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 15:31
L31	9	edge with (server or database) with proxy with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 15:32
L32	0	edge with (server or database) with proxy with interface and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 15:32
L33	7	edge with (server or database) with proxy with interface and caching	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:05
L34	7	edge with (server or database) with proxy with interface and cach\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:05

EAST Search History

L35	123	edge with (server or database) with proxy and cach\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:18
L36	61	edge with (server or database) with proxy with cach\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:19
L37	8	edge with (server or database) with proxy with cach\$4 and load\$balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 16:39
L38	49	edge with (server or database) with proxy with cach\$4 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 17:18
L39	11	edge with database with proxy and cach\$4 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 17:45
L40	17	edge with database with proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 17:50
L41	96	edge with device with proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 17:50
L42	0	edge with device with proxy with load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 17:50

EAST Search History

L43	9	edge with device with proxy and load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 17:51
L44	4	edge with server with proxy same load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 17:52
L45	4	edge with proxy same load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:50
L46	0	websphere with proxy same load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 17:55
L47	0	websphere same proxy same load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:01
L48	37	database with proxy with (driver or interface) and load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:04
L49	50	database with proxy same (driver or interface) and load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:04
L50	274	database with proxy with (driver or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:05

EAST Search History

L51	55	database with proxy with (driver or interface) and cach\$3 and metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:12
L52	121	server with database with proxy with (driver or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:12
L53	68	server with database with proxy with (driver or interface) and cach\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:13
L54	33	server with database with proxy with (driver or interface) and cach\$4 and load\$balanc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:14
L55	37	server with database with proxy with (driver or interface) and cach\$4 and meta	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:17
L56	1	edge with database with proxy with (driver or interface) and cach\$4 and meta	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:39
L57	1	edge with database with proxy with (driver or interface) and cach\$4 and meta\$data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:40
L58	2	edge with database with proxy with (driver or interface) and cach\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:40

EAST Search History

L59	1	edge with database with proxy with (driver or interface) and meta\$data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:40
L60	2	edge with database with proxy with (driver or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:41
L61	2	edge with database with proxy same(driver or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:41
L62	2	edge with database with proxy same (driver or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:41
L63	2	edge with database with prox\$3 same (driver or interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:41
L64	1	edge with server with database with driver with proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:50
L65	1	edge with server with (storage or repository or database) with (driver or interface or API) with proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:51
L66	1	edge with server with (storage or repository or database) with (driver or interface or API) same proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:52

EAST Search History

L67	1	edge with server same (storage or repository or database) with (driver or interface or API) same proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:52
L68	60	edge with server same (storage or repository or database) same proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:52
L69	27	edge with server with (storage or repository or database) same proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:52
L70	1	edge with server with (storage or repository or database) same proxy and cach\$3 and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:52
L71	0	edge with server with (storage or repository or database) same proxy and cach\$3 and OBDC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:52
L72	20	edge with server with (storage or repository or database) same proxy and cach\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:53
L73	2	edge with server with (storage or repository or database) same proxy and cach\$3 same (jdbc or odbc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:55
L74	1	edge with server with (storage or repository or database) same proxy same (jdbc or odbc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:55

EAST Search History

L75	1	edge with server with (storage or repository or database) same prox\$3 same (jdbc or odbc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:55
L76	1	edge with server same (storage or repository or database) same prox\$3 same (jdbc or odbc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:55
L77	1	edge same server same (storage or repository or database) same prox\$3 same (jdbc or odbc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:55
L78	2	edge same server same (storage or repository or database) same prox\$3 and (jdbc or odbc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:56
L79	3	edge same (storage or repository or database) same prox\$3 and (jdbc or odbc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:56
L80	54	edge with (storage or repository or database) same prox\$3 and (interface or api or driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:58
L81	29	edge with (storage or repository or database) with prox\$3 and (interface or api or driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:58
L82	2	edge with (storage or repository or database) with prox\$3 same (interface or api or driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:59

EAST Search History

L83	18	edge with (storage or repository or database) with prox\$3 and (interface or api or driver) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/27 18:59
-----	----	---	---	----	----	------------------